

MODEL MDR

MOTOR DRIVEN ROLLER CONVEYOR

CHAIN DRIVE



Titan Conveyors™ introduces the Motorized Roller Conveyor, a modular conveyor system utilizing a 24 volt DC motorized drive within a roller. Adjacent rollers are slave-driven from it using chains, timing belts, or O-belts. Loads up to 3900# can be moved with these clean and efficient motorized roller systems.


Among many advantages of the Motorized Roller Conveyor are:

- Maintenance free
- Lower operating cost
- Plug & play controls
- Lower power consumption
- Reversible
- No awkward motor & gearbox
- Quieter
- Dynamic braking
- Low profile pop-up transfer
- 24v Safety
- Variable speed



Motorized roller conveyors are perfect for large zone controlled systems in assembly lines or unithandling of pallets and cases.

Titan believes the success of your system lies in understanding the subtle details of your operation. Titan's engineers have the experience and knowledge you require, and they take the time to get it right, providing you with years of dependable operation, increased efficiency, and low maintenance costs.



Chain to Chain



Motorized Roller Conveyor with 2-Strand Pop-up Chain Transfer

Belt or Chain Driven Motorized Roller Conveyor Specifications


| | Model MR (Urethane O-Belt) | Model MR (Chain to Chain & Poly V-Belt) 1.9" dia. roller | Model MR (Chain to Chain & Poly V-Belt) 2-1/2" dia. roller |
|--|---|--|--|
| Effective Widths | 13" to 42" | 13" to 42" | 13" to 72" |
| Lengths | 3' Min. | 3' min. | 3' min. |
| Roller Size | 1.9" Dia. x 16 ga. with 7/16" hex shaft | 1.9" Dia. x 16 ga. with 7/16" hex shaft | 2.5" Dia. x 11 ga. with 11/16" hex shaft |
| Roller Center | 2-1/4", 3", 4", or 6" | 4", 6", 12" | 2-13/16", 3-7/16", 4-3/8", 5", 6", 10" |
| Frame | Formed 10 ga. | Formed 10 ga. | Formed 7 ga. |
| Drive | Itoh Denki 24 Volt DC Motor Driven Roller | Itoh Denki 24 Volt DC Motor Driven Roller | Itoh Denki 24 Volt DC Motor Driven Roller |
| Roll to Roll Drive | Poly O-Belt | Poly V Belt or #40 Chain | Poly V-Belt or #40 or #50 Chain |
| OPTIONAL | | | |
| Roller Centers - Consult Factory, Galvanized or stainless construction, Controls, Coated rollers, Paint, 2 or 3 strand chain transfers, Pallet lifts, End stops, UHMW sleeves, Air operated blade stop, Supports | | | |

NOTE: Specifications subject to change without notice

MODEL MDR

MOTOR DRIVEN ROLLER CONVEYOR

MOTOR DRIVEN ROLLER CHAIN DRIVE



735 Industrial Loop Road • New London, WI 54961-9612
 920-982-6600 • Fax 920-982-7750 • Toll Free 800-558-3616
 Website: www.titanconveyors.com • Email: sales@titanconveyors.com