

Industrial Conveyor Specialists

2 1/2" Pitch Hinged Steel Belt Conveyors

Standard & Custom Models



Featuring Exclusive RADIAL SIDE WING eliminates gaps

The TITAN Experience - *Expect More*

Phone: 800-558-3616 Website: www.titanconveyors.com

2 1/2" Pitch Hinged Steel Belt Conveyors

* = *

Model 610

Medium duty - designed for chips

CONVEYORS



Exclusive Titan radial sidewings eliminate the gaps that cause parts damage and material seepage.

Conveyor Profiles Available

TYPE 3

TYPE 2

TYPE 1




Plate Styles Available

STANDARD SPECIFICATIONS 2-1/2" PITCH HINGED STEEL BELT MODELS			
	MODEL 610	MODEL 620	MODEL 630
Drive	1/2 H.P. 230/460/3/60	1/2 H.P. 230/460/3/60	1/2 H.P. 230/460/3/60
Belt Speed	10 F.P.M.	5 - 50 F.P.M.	5 - 50 F.P.M.
Frame	6-11/16" deep formed 12 ga.	7" deep formed 10 ga.	8-5/8" deep formed 10 ga.
Belt	2-1/2" pitch radial sidewing	2-1/2 pitch low profile or radial sidewing	2 1/2" pitch 1-1/2" standard stamped sidewing
Belt Width	4" to 24"	4" to 48"	4" to 48"
Supports	Structural steel	Structural steel	Structural steel
Curves	30°, 45°, 60°	30°, 45°, 60°	30°, 45°, 60°
		OPTIONS	
		s, chutes, plumbing, top covers, chip suppressors, c welded barrels, impact plates, wiper cleats, cleat he	

TYPE 4 (E)

Model 620

Heavy duty for chips, scrap and parts

A ST

CONVEYORS


A DESIGNATION OF




Plain Apron with Radial Sidewings and Outside Sidebars - 2500# Pull

Model 630

Extreme duty for larger scrap and parts



Stamped Sidewings no Outside Sidebars



Available Solutions

Titan Conveyors offers a complete line of cost effective Options and Accessories to help you with the challenges you face in your industry. Contact our customer service representatives for more details.



Bulletin1224 2HSBGH

С

ONVEYORS